CONTOUR SERIES

STYLE: C-STAMPED

NOVA CCD 0923 6"x36", 12"x36", 18"x36"
FOUNDRY CCD 0922 18"x36", 18"x18"
MERCURY CCD 0920 18"x18"
ODYSSEY CCD 0925 6"x36", 12"x36"

FOR ADDITIONAL COLORS, SEE PAGE 12.

LVT
TILE + PLANK

Tandus | Centiva
A Tarkett Company

CONTOUR SERIES

STYLE: PANCHO

DORADO CPO 1025
18″x18″

FOR ADDITIONAL COLORS, SEE PAGE 13.

LVT
TILE + PLANK

Tandus | Centiva

CONTOUR SERIES

STYLE: PORCELAIN

DAPPLE CPN 0935
9”x36”

FOR ADDITIONAL COLORS, SEE PAGE 13.

LVT
TILE + PLANK

Tandus | Centiva

CONTOUR SERIES

STYLE: RAYS

GRAPHITE CRS 0793
18″x 18″

FOR ADDITIONAL COLORS, SEE PAGE 13.

LVT
TILE + PLANK

Tandus | Centiva

CONTOUR SERIES

STYLE: MONTAGE

FEATHERSTONE CMT 7425
36"x36"

FOR ADDITIONAL COLORS, SEE PAGE 12.

LVT
TILE + PLANK

Tandus | Centiva

CONTOUR SERIES

STYLE: FUSION

CINDER CFN 3722
12″x 36″

FOR ADDITIONAL COLORS, SEE PAGE 12.

LVT
TILE + PLANK

Tandus | Centiva

CONTOUR SERIES

LVT
TILE + PLANK

STYLE: ASPHALT

ASPHALT CAS 0721
18″x 18″

Tandus | Centiva

CONTOUR SERIES

STYLE: SUBSTRATE

DOMINO CSU 0951
12″x36″

FOR ADDITIONAL COLORS, SEE PAGE 14.

LVT
TILE + PLANK

Tandus | Centiva

CONTOUR SERIES

STYLE: NUGRAIN

STERLING CNU 3712
GUNMETAL CNU 3710
PRIMA CNU 3717
4"x36", 6"x36", 7.2"x36",
4"x18", 6"x18", 7.2"x18"

FOR ADDITIONAL COLORS, SEE PAGE 13.

LVT
TILE + PLANK

Tandus | Centiva

CONTOUR SERIES

STYLE: VESTIGE

SPIRE CVE 1016
12″x 24″

FOR ADDITIONAL COLORS, SEE PAGE 14.

LVT
TILE + PLANK

Tandus | Centiva

SIZE AVAILABILITY

● PREFERRED

mm (inches)	305 x 305 (12″x12″)	305 x 457 (12″x18″)	305 x 610 (12″x24″)	228 x 915 (9″x36″)	305 x 915 (12″x36″)	457 x 457 (18″x18″)	915 x 915 (36″x36″)	102 x 915 (4″x36″)	152 x 915 (6″x36″)	152 x 1219 (6″x48″)	183 x 1219 (7.2″x48″)
CONTOUR SERIES											
*ASPHALT						●					
CROSSWEAVE	●					●	●				
MONTAGE	●					●	●				
PORCELAIN	●	●	●			●					
SUBSTRATE	●	●	●	●	●	●					
PANCHO	●	●	●	●	●	●					
VESTIGE	●	●	●	●	●	●			●		
C-STAMPED	●	●	●	●	●	●			●	●	●
FUSION	●	●	●	●	●	●		●	●	●	●
SIGMA	●	●	●	●	●	●		●	●	●	●
RAYS	●	●	●	●	●	●		●	●	●	●

*Asphalt has a registered cut and is only offered in an 18″x18″ size.
The sizes above have been chosen to best complement the design of the product.

PACKAGING

CONTOUR SERIES

Sizes:	12″x12″	12″x18″	12″x24″	9″x36″	12″x36″	18″x18″
Quantity:	45 tiles per ctn 45 sq. ft. per ctn	30 tiles per ctn 45 sq. ft. per ctn	30 tiles per ctn 45 sq. ft. per ctn	20 tiles per ctn 45 sq. ft. per ctn	15 tiles per ctn 45 sq. ft. per ctn	20 tiles per ctn 45 sq. ft. per ctn
Weight:	45 lbs. per ctn	45 lbs. per ctn	45 lbs. per ctn	45 lbs. per ctn	45 lbs. per ctn	45 lbs. per ctn

Sizes:	36″x36″	4″x36″	6″x36″	6″x48″	7.2″x48″
Quantity:	10 tiles per ctn 90 sq. ft. per ctn	45 tiles per ctn 45 sq. ft. per ctn	24 tiles per ctn 36 sq. ft. per ctn	18 tiles per ctn 36 sq. ft. per ctn	15 tiles per ctn 36 sq. ft. per ctn
Weight:	90 lbs. per ctn	45 lbs. per ctn	36 sq. ft. per ctn	36 sq. ft. per ctn	36 lbs. per ctn

For additional size options, contact your Tandus Centiva account executive.

CONTOUR SERIES

ASPHALT

ASPHALT

C-STAMPED

IRONIC

ODYSSEY

NOVA

MERCURY

FOUNDRY

GALAXY

FUSION



SAND*

QUILL*

CELADON*

CINDER*

CROSSWEAVE

LINEN*

ECRU*

MONTAGE

COPPERGLOW

RED OXIDE

FEATHERSTONE

INDIGO

**It is recommended to install square tiles quarter-turned for best overall appearance. See examples on page 3. Products with an asterisk (*) feature a lineal design and may be quarter-turned or installed in a unidirectional method to achieve desired appearance. See examples on pages 2 and 4.*

CONTOUR SERIES

NUGRAIN

PRIMA*

STERLING*

STEEL*

GUNMETAL*

JET*

VERMILIAN*

DROID*

PEACOCK*

PORCELAIN

UMBRIA

MOUSY

DAPPLE

PERSE

PANCHO



CHENIN*



MERINO*

DORADO*

INKY*

ARIEL*

RAYS

AMBER*

SUNGLOW*



ORE*

PERIDOT*

PLATINUM*

GRAPHITE*

AZURE*

**It is recommended to install square tiles quarter-turned for best overall appearance. See examples on page 3. Products with an asterisk (*) feature a lineal design and may be quarter-turned or installed in a unidirectional method to achieve desired appearance. See examples on pages 2 and 4.*

CONTOUR SERIES

SIGMA

PURE*

NATURE*

PHANTOM*

SUBSTRATE

MINK*

FEDORA*

ECHO*

SILT*

DOMINO*

MAGMA*

ARCACIA*

HARLEQUIN*

LAGUNA*

ABYSS*

VESTIGE



KUMERA*

CINEROS*

MOTH*

CRETE*

SPIRE*

**It is recommended to install square tiles quarter-turned for best overall appearance. See examples on page 3. Products with an asterisk (*) feature a lineal design and may be quarter-turned or installed in a unidirectional method to achieve desired appearance. See examples on pages 2 and 4.*

PRODUCT COORDINATES – SOFT SURFACE

Tandus Centiva LVT products coordinate with a variety of our soft surface products.

EVANESCE

THIN LINES

FULL VOLUME III

ASCEND

PRODUCT COORDINATES – TRANSITION

Gone is the wait for a well-engineered, beautifully-designed and unobtrusive solution for floorcovering transitions. By partnering with our sister company, Johnsonite, we created an innovative, right-priced answer to this long-standing problem. MetalEdge launches in three aesthetically pleasing and tastefully refined systems, each engineered to work specifically with the vast array of Tandus Centiva soft and hard surface product platforms.

PRODUCT COORDINATES – TRANSITION: METALEDGE COLLECTION

MetalEdge provides a transition solution and finish detail for any commercial space. The following colors have been selected to coordinate with a variety of Tandus Centiva LVT and soft surface products. Please contact your Tandus Centiva account executive for details.

STEEL 00179*

IRONSTONE 00178*

BLACK PEARL 00082*

BRASS 00176*

**These colors are metallic and may not be accurately represented. Please contact your Tandus Centiva account executive to order samples, 800.248.2878.*

PRODUCT COORDINATES

The coordination of soft and hard surface products, MetalEdge transition, wall base and accessories from Johnsonite, a Tarkett company, allows for design flexibility and a range of offerings that enables our customers to choose exactly the product they need — moving beyond a product choice to a design solution.

PRODUCT COORDINATES – JOHNSONITE

The following colors have been selected from the Johnsonite palette as complements to Tandus Centiva products. Available in a broad offering of wall base and finishing accessories, each can provide the necessary finishing touches to any commercial space. Please contact your Johnsonite representative for details, 800.899.8916.

69 STERLING SILVER*

38 PEWTER

179 STEEL*

20 CHARCOAL

82 BLACK PEARL*

63 BURNT UMBER

44 DARK BROWN

40 BLACK

27 MIST

194 ANTIQUE WHITE

34 ALMOND

09 CLAY

49 BEIGE

280 SHORELINE

281 GRIZZLY

29 MOON ROCK

150 WETLANDS

283 TOAST

101 SEAWEED

47 BROWN

41 SEA BREEZE

71 STORM CLOUD

92 BLUE LAGOON

168 THUNDER

190 GREEGE

73 PALM LEAF

264 GROUNDED

66 EITHER ORE*

45 SANDALWOOD

261 AUTUMN

76 CINNAMON

284 GANACHE

132 ESPRESSO

113 CHESTNUTTY

85 BURGUNDY

167 FUDGE

**These colors are metallic and may not be accurately represented. Please contact your Johnsonite customer service representative to order samples.*

LVT

TILE + PLANK

CONTOUR SERIES

SPECIFICATIONS

Classification:	ASTM F1700 Class III Type B
Total Thickness:	0.120" (3.0 mm)
Wear Layer Thickness:	32 mil (0.8 mm)
Edge Treatment:	Square (SE) or Slight Bevel (SB)
Emboss:	Optional Fresco FC Frost FR Passage PS Pathway PH Quarry QU Straight Grain ST Tick TK
Warranty:	20-Year Limited Commercial Wear Warranty
Colors:	52

TESTING

Flexibility:	ASTM F137	Passes
Dimensional Stability:	ASTM F2199	Passes
Static Load:	ASTM F970	Passes
Residual Indentation:	ASTM F1914	Excellent
Flammability:	ASTM E648	CRF≥0.45 watts/cm^2 NFPA Class 1
Slip Resistance:	ASTM D2047	Passes >0.5 ADA Compliant
Smoke Density:	ASTM E662	Passes <450 D^{MC}
Resistance to Light:	ASTM F1515	Excellent
Chemical Resistance:	ASTM F925	Excellent
Resistance to Heat:	ASTM F1514	Excellent

ENVIRONMENTAL DATA

Recycled Content:	13.8%–27.5% Preconsumer	
Materials:	No Heavy Metals; Non-Toulene Ink System	
Indoor Air Quality:	Meets CDPH Standard Method v1.1-2010; FloorScore® Certification	
Recyclability:	100% Recyclable through our ReStart® Program	
LEED Scoreboard:	LEED 2009 MRc2 Construction Waste Management MRc4 Recycled Content MRc5 Regional Materials IEQ 4.1 Low-Emitting Adhesives IEQ 4.3 Low-Emitting Materials Flooring	LEED v4 MRc2 Building Product Disclosure and Optimization – Environmental Product Declarations MRc3 Building Product Disclosure and Optimization – Sourcing of Raw Materials MRc5 Construction and Demolition Waste Management IEQc2 Low-Emitting Materials
Third-party Certification:	NSF/ANSI-332 Gold	
Manufacturing:	Made in the USA ISO 9001 Quality Management System ISO 14001 Environmental Management System OHSAS 18001 Occupational Health and Safety Management System	
Packaging:	Packaged in recycled, corrugated cardboard	

For samples, warranties and more information, visit tandus-centiva.com or call 800.248.2878.

floor score — CERTIFIED BY SCS Global Services

ReStart

UL CERTIFIED GOLD — PRODUCT CERTIFIED FOR REDUCED ENVIRONMENTAL IMPACT. VIEW SPECIFIC ATTRIBUTES EVALUATED: UL.COM/EL NSF 332

Tandus | Centiva
A Tarkett Company